



Power Take Offs		Ref. TF2006AM
CANTER	MO27S5 ; MO38S5 ; MO38S6 Mechanic Control	

To apply with Gear Pumps or Piston Pumps

Main Dimensions

A – Mechanic control
 B – Pump rotation
 C – Option: Electric sensor with mechanical driving Ref. TF2006AMS or TF2006AMC

(Dimensions in mm)

Main Data	
Máx. Torque (Nm)	200
Power (at 1000 rpm)	28 cv / 21 kW
Power (at 1500 rpm)	42 cv / 32 kW
Mounting Position	Left
Pump Rotation	Right Hand
Weight (kg)	5,5
PTO internal ratio	1:0,90
Indicative ratio from motor to PTO's output	
MO27S5	1:0475
MO38S5 ; MO38S6 MT	1:0418
MO38S5 ; MO38S6 AMT	1:0,426

CTI TF2006AM 1306- 3

ABER is constantly engaged in improving its products and, therefore, reserves itself the right to modify without any further notice the characteristics shown. The gear boxes are in constant change; therefore, ABER is not to be held responsible for any damage resulting from wrong application or application of outdated material.



ABER - Embraiaçes e Comandos Hidráulicos - A. B. LDA
 Rua Francisco de Almeida, Nº 30 – Vila Nova da Telha – 4470 MAIA - Portugal
 Telephone: +351.22.9438070 Fax: +351.22.9420823 e-mail: aber@aber.pt <http://www.aber.pt>